
# 

PLANT DERIVED FULL SPECTRUM AMINO + NUTRIENT & BENEFICIAL BIOLOGY














# Advance

PLANT DERIVED FULL SPECTRUM AMINO + NUTRIENT & BENEFICIAL BIOLOGY

Advance Amino is a full spectrum L-Amino acid that is plant derived making it highly available to all agricultural crops. Its unique combination includes a range of beneficial biology, trace minerals, carbohydrates and enzymes.

Plants gain their proteins from amino acids that are produced via complex biochemical processes that consume vast amounts of energy within the plant. Advance Amino provides plants with 19 of these amino acids with saved energy diverted to enhancing plant performance.

Advance Amino can be foliar or soil applied on its own or with fertiliser and crop protection products. It is quickly mobilised within the plant to areas where it is most needed.

The importance of amino acids is often overlooked in relation to crop results. From resisting disease and temperature stress, to providing nutrition, or enhancing flowering and fruit set, amino acids are the building blocks of plant performance.

# **Crops**


Advance Amino is currently used in the following sectors:

- Horticulture
- Broad acre cropping
- Viticulture
- Cotton
- Pastures
- Turf grass



Add to your fertiliser applications to improve their plant uptake.







### **ADVANCE AMINO**

Contains the 19 essential amino acids required by plants to produce protein and maximum yield.



Advance Amino Cauliflower Trial - Tissue Tests						
		Desired Tissue Levels	Control	Advance Amino Soil Applied	% Variation Control v Treated	
N	%	5.0	5.0	5.2	4.0%	
Р	%	0.6	0.7	0.7	0.0%	
K	%	4.5	3.0	4.2	40.0%	
Ca	%	1.8	1.0	1.9	90.0%	
Mg	%	0.3	0.3	0.7	133.0%	
В	mg/kg	40.0	46.0	90.9	98.0%	
Na	%	0.1	0.8	0.4	- 48.0%	
All plots received 350kg/HA Osmocote as a base rate of fertiliser						

Unique formulation of full spectrum amino acids, trace minerals and beneficial biology.

Application Timing	Litres/HA	Ingredients	
Commencement of flowering	5 - 10	10% amino acids, 2% N,	
Fruit set	5 - 10	10% sugars, 15% organic carbon, beneficial biology,	
Key periods of temperature stress	5 - 10		
With nutrient applications	5 - 10	trace minerals, enzymes.	

Application Method: Fertigation or foliar spray.

Application Notes: Do not apply with Copper Fungicide. Dilute with 70-100+L water/HA.

If using high volumes of water for foliar sprays use 500-1000mls/100L water.

The biology in Advance Amino are proven to increase nutrient uptake and reduce the effects of fungal disease in plants.



ADVANCE AMINO ACIDS AND THEIR FUNCTIONS				
Amino	Important Function in Plants			
Glycine	Main Amino for <b>chelation</b> and a key part of <b>chlorophyll production</b> . Forms leaf tissue and helps <b>resistance to stress</b> .			
Alanine	Provides greater synthesis of chlorophyll and increased photosynthetic activity.			
Valine	Aids plant resistance mechanisms under stressful conditions and promotes seed germination.			
Leucine & Isoleucine	Improves fertilisation, fruit set, quality and increases production.			
Proline	Accumulates during adverse weather conditions and plays a fundamental role in the water balance of plant cells. Increases the percentage of pollen grain germination especially under adverse temperatures.			
Phenylalanine & Tryptophan	Precursor of alkaloid compounds that <b>resist pathogen and herbivore attack</b> .  Improves plant pigment.			
Tyrosine	<b>Generates energy</b> in the krebs cycle within the <b>plant and stimulates plant immune</b> systems.			
Cysteine	Are abundant in defensin proteins that are powerfully active against pathogenic bacteria, fungi and viruses. Generate resistance to abiotic stresses.			
Methionine	Precursor of ethylene that <b>improves the quality and yield of crops</b> . Favours the assimilation of nitrates and early crop growth.			
Serine	Activates plant resistance mechanisms under adverse environmental conditions.			
Threonine	Aids cell metabolism <b>providing energy</b> to the plant for growth.			
Lysine	Involved in resistance to external stresses plus chlorophyll synthesis.			
Arginine	<b>Stimulates root growth</b> . Rejuvenates plant cells. Improves translocation in phloem and solubilises nutrients in the rhizospehere. Precursor to auxin synthesis.			
Histidine	Maintains healthy tissues and gives the plant solar radiation protection.			
Aspartic acid	Participates in most metabolic processes in the plant.			
Asparagine	Transports nitrogen to the plant.			
Glutamic acid	The precursor of other Amino acids, it stimulates plant growth. Aids in stress resistance. Increases germination power of pollen grain and elongation of the pollen tube. Foliar application allows the plant to synthesise the amino acids required in that moment. Assimilates nitrogen for the plant.			

## About Microsoil Australia.

Significant investment into Research & Development over the last 10 years has seen Microsoil develop, manufacture and supply an extensive range of high quality products for agricultural production. The range of independently tested, innovative products includes:

- Liquid fertilisers
- Plant and soil stimulants
- Crop protection products
- Plant stress relief products
- Colour enhancement (red skin fruit)



### **Contact**

Peter Calkin

**E** peter@switchinnovation.com.au

M 0411 156 839

W www.switchinnovation.com.au